

Birdwatching nella

FRANCIA ATLANTICA

e

GORGES DU VERDON

di Paolo Ugo

(ugop2003@yahoo.com)

photo Paolo Ugo



4. LOIRA


3. MARAIS
POITOVAIN

2. MARAIS DE BRUGES

1. BAIA DI
ARCACHON

5. GORGE
DU VERDON

La baia di Arcachon



Reserve Ornithologique De Teich

photo Paolo Ugo

**Maison
de la
Nature
du Bassin d'Arcachon**



ENTREE

photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo


La baia di Arcachon



Reserve Ornithologique De Teich

photo Paolo Ugo

Spostamenti oca colombaccio nella Baia di Arcachon



La migrazione dell'oca colombaccio




photo Paolo Ugo



Da: <https://www.birdguides.com/articles/identification/brent-geese-photo-id-guide/>

Adult Black Brant (Chichester Harbour, West Sussex, 10 December 2015). With its bold black-and-white contrasts, this Black Brant is a striking bird indeed. The belly/breast contrast is very weak, the belly/undertail coverts contrast is very strong and the white flank patch is extensive and bright (albeit inlaid with some dark vertical lining). The most important feature, however, is the rich deep brown coloration in the belly and the upperparts – a feature never shown by Dark-bellied Brent Goose. Note also the typically bold and deep neck collar (Dorian Mason).

photo Paolo Ugo



Da: <https://www.birdguides.com/articles/identification/brent-geese-photo-id-guide/>
Black Brant (front, right) with Dark-bellied Brent Geese (Cley Marshes NWT, Norfolk,
16 November 2015). (Robin Chittenden, www.robinchittenden.co.uk)

photo Paolo Ugo



Da: <https://www.birdguides.com/articles/identification/brent-geese-photo-id-guide/>
Adult Pale-bellied Brent Goose (St Mary's, Scilly, 18 October 2012). With its bright chalky-white underparts, striking belly/breast contrast and extensive bright white area between the legs, (Steve Young, www.birdsonfilm.com)

photo Paolo Ugo



<https://www.birdguides.com/articles/identification/brent-geese-photo-id-guide/>
Adult Dark-bellied Brent Goose (Morston, Norfolk, 27 February 2003). With its dull grey belly, weak belly/breast contrast and strong belly/undertail coverts contrast, this is a typical Dark-bellied Brent Goose. The neck collar is typically moderately prominent but the most important feature is the obvious grey 'glaze' over the plumage, particularly the upperparts.

photo Paolo Ugo

**Year-round itinerary of a GPS-tracked
Brent Goose *Branta b. bernicla* that visited the
Bassin d’Arcachon, France**

ADRIAAN M. DOKTER¹ & BARWOLT S. EBBINGE²

¹Dutch Centre for Avian Migration and Demography, Netherlands Institute of Ecology
(NIOO-KNAW), P.O. Box 50, NL-6700 AB Wageningen, the Netherlands.

²Team Animal Ecology, Alterra Wageningen-UR, P.O. Box 47,
NL-6700 AA Wageningen, the Netherlands.

E-mail: A.Dokter@nioo.knaw.nl

Abstract

The year-round itinerary for a Dark-bellied Brent Goose *Branta b. bernicla* is described for a bird fitted with a GPS tracking device at Terschelling Island, the Netherlands, in spring 2012. Spring migration commenced when the bird left the Dutch Wadden Sea on 27 May and continued until it reached the Taimyr Peninsula in arctic Russia on 8 June. During the summer months it moved along the coast of the Taimyr Peninsula, prior to moulting on Taimyr Island to the north of the peninsula in July. During autumn migration it frequented eelgrass *Zostera sp. beds around Langeness Island in Schleswig-Holstein, Germany* and then proceeded to the Bassin d’Arcachon in France, another famous eelgrass area, where it remained from 18 October 2012–12 January 2013 before returning to feed on grassland polders on Terschelling Island in January 2013. The timing of the location data showed that the bird flew large distances in short periods of time during migration. Over the year it covered *c. 4,600 km during local movements and c. 15,000 km on migration. The results form part of a larger study investigating the importance of non-breeding habitats (particularly eelgrass vegetation) for the species.*

Key words: Dark-bellied Brent Goose, flyway, habitat use, tracking, *Zostera*.



RÉSERVE
NATURELLE
DE MOËZE OLERON



La réserve naturelle de Moëze-Oléron

vous accueille...



La réhabilitation de l'environnement paysagique de la Ferme de Poïssance, de création et d'aménagement de quatre parcours d'interprétation autour de la réserve naturelle de Moëze-Oléron, ainsi que la réhabilitation de la Langrèze à Moëze, ont été réalisés en partenariat avec le Conservatoire de la réserve naturelle de Moëze-Oléron.

de l'Europe (Point Vert)
du DDEP
de la Région et de l'ADDEP à travers le Fonds Régional
d'Environnement Environnementaire Poitou-Charentes (FREC)
du Conseil général de la Vendée-Merluze
du Conservatoire du littoral
de la Fondation du Patrimoine
de la Fondation EDF (anciennement partenaire de la LPO
et de l'Agence de l'Eau Adour Garonne)

- Propriétaire :
Conservatoire du littoral
Mairie d'Étangé-Médoc
Communauté de Communes du Sud-Océan
Associés à hauteur d'éclairage :
SODAG
Maires d'ailleurs
Cabinet Renaud Pene - La Rochelle (architecte)
reynaud Subergat - Paris
ADP - Paris - La Rochelle
Océa - Nantes
CJ Thuret - Rochefort
Bog - La Rochelle



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo





photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



Gorges du Verdon



Area osservazione grifoni

photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo

VAUTOUR FAUVE


Le retour d'un géant des airs

Un véritable écho des de la nature,
il joue un rôle capital en faisant
disparaître les excédents
d'animaux morts dans la
nature.

Il est ainsi la préposition
de stabilité et la pollution
des paysages photographiques.



La contribution de cet animal
écologique est évaluée grâce
aux efforts de l'association
Vautours Hautes Pyrénées,
la Ligue pour la Protection
des Oiseaux (LPO) région
Pyrénées, l'Office National
des Forêts et le Parc
national régional de
Vézère.



Où l'observer ?

Le village de Buzanet est un excellent point d'observation en toute saison. Marchez
dans les parcs de Buzanet, les arbres et les rochers vous offrent un cadre idéal pour
observer cet oiseau des montagnes.

Cherchez les le long de la route ou dans les champs en quête de quelque
animal mort.

Bonnes observations !

Vous disposez de plusieurs points de vue des initiatives associatives responsables pour la zone
(contact et observation sur 04 92 81 69 62)

Comment le reconnaître ?

Un grand, et très robuste, impressionnant (2,4 à 3,4 m de hauteur pour 7 à 11 kg), le Vautour fauve incarne l'animal
des montagnes pour grand et robuste.

• **sa tête**
est un peu plus grande que celle
de l'aigle, elle est plus large et plus
arrondie.

• **son bec**
est très long et crochu, il est
noir et très robuste.

• **son cou**
est très long et crochu, il est
noir et très robuste.

• **son dos**
est très long et crochu, il est
noir et très robuste.

• **son ventre**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

• **son ventre blanc**
est très long et crochu, il est
noir et très robuste.

Autres espèces de vautours



Vautour noir
taille : 1,40 m - 1,80 m
poids : 3 à 5 kg
répartition : Pyrénées



Aigle royal
taille : 1,40 m - 1,80 m
poids : 3 à 5 kg
répartition : Pyrénées




Condalia pour le faucon
taille : 1,40 m - 1,80 m
poids : 3 à 5 kg
répartition : Pyrénées



Vautour pour le faucon
taille : 1,40 m - 1,80 m
poids : 3 à 5 kg
répartition : Pyrénées




Griffon vautour
taille : 1,40 m - 1,80 m
poids : 3 à 5 kg
répartition : Pyrénées



Vautour pour le faucon
taille : 1,40 m - 1,80 m
poids : 3 à 5 kg
répartition : Pyrénées



Vautour pour le faucon
taille : 1,40 m - 1,80 m
poids : 3 à 5 kg
répartition : Pyrénées



Vautour pour le faucon
taille : 1,40 m - 1,80 m
poids : 3 à 5 kg
répartition : Pyrénées



Vautour pour le faucon
taille : 1,40 m - 1,80 m
poids : 3 à 5 kg
répartition : Pyrénées



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo



photo Paolo Ugo

A bald eagle is captured in mid-flight, its wings fully extended, soaring over a lush green forest. In the background, a river flows through a valley, with white water rapids visible on the right side. The scene is bathed in bright sunlight, creating a vibrant and natural atmosphere.

FINE

photo Paolo Ugo